Contribution ID : 76

Type : not specified

Revealing the source of the radial flow patterns in proton–proton collisions using hard probes

Abstract

In this work (based on a recent published paper), we propose a tool to reveal the origin of the collectivelike phenomena observed in proton-proton collisions. We exploit the fundamental difference between the underlying mechanisms, color reconnection and hydrodynamics, which produce radial flow patterns in Pythia 8 and Epos 3, respectively. Specifically, we proceed by examining the strength of the coupling between the soft and hard components which, by construction, is larger in Pythia 8 than in Epos 3. We study the transverse momentum ($p_{f}^{T}_{f}^{T}_{f}^{H}_{f}$) distributions of charged pions, kaons and (anti) protons in inelas rapidity. Specific selections are made on an event -by - event basis as a function of the charged particle multiplicity and the transve pseudorapidity(| \eta | \lt 1). From our studies, quantitative and qualitative differences between Pythia8 and Epos 3 are found is increased. In addition, we show that for low-multiplicity events the presence of jets can produce radial flow-like behavior. Motivated by our findings, we propose to perform a similar analysis using experimental data from LHC.

Primary author(s) : Mr. BELLO, Héctor (FCFM-BUAP)

Co-author(s) : Dr. ORTIZ VELASQUEZ, Antonio (ICN, UNAM); Mr. BENCEDI, Gyula (Wigner RCP, Hungary)

Presenter(s) : Mr. BELLO, Héctor (FCFM-BUAP)