

$\tau - \mu$ lepton flavor universality in $\Upsilon(3S)$ decays at the *BABAR* experiment

Content

We report on a precision measurement of the ratio $R_{\tau\mu} = BF(\Upsilon(3S) \rightarrow \tau^+\tau^-)/BF(\Upsilon(3S) \rightarrow \mu^+\mu^-)$ using data collected with the BABAR detector at the SLAC PEP-II e^+e^- collider. The measurement is based on a 28 fb^{-1} data sample collected at a center-of-mass energy of $10.355 \text{ GeV}/c^2$ which corresponds to a sample 122 million $\Upsilon(3S)$ mesons. In order to estimate backgrounds from direct dilepton production we use 2.6 fb^{-1} of data collected 30 MeV below the $\Upsilon(3S)$ resonance mass and 86 fb^{-1} of data collected near the $\Upsilon(4S)$ resonance. The ratio is measured to $R_{\tau\mu} = 0.9662 \pm 0.0084 \pm 0.0135$ and is in agreement with the Standard Model prediction. Its uncertainty is almost order of magnitude smaller than the only previous measurement reported by the CLEO collaboration.

Summary

Primary author(s) : Dr. ANULLI, Fabio (INFN Roma); Prof. BANERJEE, Swagato (Louisville Univ.)

Presenter(s) : Prof. BANERJEE, Swagato (Louisville Univ.)