Contribution ID : 121

$\tau-\mu$ lepton flavor universality in $\Upsilon(3S)$ decays at the BABAR experiment

Content

We report on a precision measurement of the ratio $R_{\tau\mu} = BF(\Upsilon(3S) \to \tau^+\tau^-)/BF(\Upsilon(3S) \to \mu^+\mu^-)$ using data collected with the BABAR detector at the SLAC PEP-II e^+e^- collider. The measurement is based on a 28 fb⁻¹ data sample collected at a center-of-mass energy of 10.355 GeV/ c^2 which corresponds to a sample 122 million $\Upsilon(3S)$ mesons. In order to estimate backgrounds from direct dilepton production we use 2.6 fb⁻¹ of data collected 30 MeV below the $\Upsilon(3S)$ resonance mass and 86 fb⁻¹ of data collected near the $\Upsilon(4S)$ resonance. The ratio is measured to $R_{\tau\mu} =$ 0.9662 ± 0.0084 ± 0.0135 and is in agreement with the Standard Model prediction. Its uncertainty is almost order of magnitude smaller than the only previous measurement reported by the CLEO collaboration.

Summary

Primary author(s) : Dr. ANULLI, Fabio (INFN Roma); Prof. BANERJEE, Swagato (Louisville Univ.)

Presenter(s) : Prof. BANERJEE, Swagato (Louisville Univ.)