

# Insights into 1-loop corrections to neutrino low-scale type-I seesaw mechanism

## Content

The standard type-I seesaw can also be regarded as a low-scale seesaw by using the freedom of the Casas-Ibarra parameterization. In this framework, radiative corrections to the neutrino mass matrix can dominate over the tree-level contribution. We show that a naive use of the Casas-Ibarra parametrization in the presence of 1-loop corrections leads to incorrect predictions for the neutrino oscillation parameters. By using a modified Casas-Ibarra parametrization, in which 1-loop corrections are reabsorbed into the right-handed neutrino mass matrix, we obtain a light neutrino mass matrix consistent with experimental values. On the other hand, we show that physical processes related to right-handed neutrino propagation, such as heavy neutral lepton searches, do not depend on the 1-loop corrections. Moreover, we show that  $\text{Br}(\mu \rightarrow e\gamma)$  provides competitive constraints on the parameter space of heavy neutral lepton search experiments for masses above 100 GeV.

## Summary

**Primary author(s)** : Ms. QAMAR, Kainat (UNAM)

**Co-author(s)** : Prof. STEFANO, Morisi (Dipartimento di Fisica “Ettore Pancini”, Universit’a degli studi di Napoli “Federico II”, Complesso Univ. Monte S. Angelo, I-80126 Napoli, Italy); Prof. PEINADO, Eduardo (Instituto de Fisica, Universidad Nacional Autonoma de Mexico Ciudad de Mexico, C.P. 04510, Mexico); Prof. MIELE, Gennaro (University of Naples)

**Presenter(s)** : Ms. QAMAR, Kainat (UNAM)