



Contribution ID : 1130

Type : **Poster**

The TALE Tower Detector

Friday, 6 July 2007 14:45 (0:00)

Abstract content

The TA Low Energy Extension will include a Tower Fluorescence Detector. Extensive air showers at the lowest useful energies for fluorescence detectors will in general be close to the detector. This requires viewing all elevation angles to be able to reconstruct showers. The TALE Tower Detector, operating in conjunction with other TALE detectors will view elevation angles up to above 70 degrees, with an azimuthal coverage of about 90 degrees. Results from a prototype mirror operated in conjunction with the HiRes detector will also be presented.

If this papers is presented for a collaboration, please specify the collaboration

Telescope Array Collaboration

Summary

Reference

Proceedings of the 30th International Cosmic Ray Conference; Rogelio Caballero, Juan Carlos D'Olivo, Gustavo Medina-Tanco, Lukas Nellen, Federico A. Sánchez, José F. Valdés-Galicia (eds.); Universidad Nacional Autónoma de México, Mexico City, Mexico, 2008; Vol. 5 (HE part 2), pages 1141-1144

Primary author(s) : Prof. BERGMAN, Douglas (Rutgers University)

Presenter(s) : Prof. BERGMAN, Douglas (Rutgers University)

Session Classification : Posters 2 + Coffee

Track Classification : HE.1.5