



Contribution ID : 1162

Type : **Poster**

## **Snow effects in total and different multiplicities of neutron intensity according to many years observation by NM-64**

### **Abstract content**

It is well known that on many middle and high latitude stations (especially on the mountains) the snow effect is very important (see review in [1]). We develop method for determining of this effect on the basis of multi-station analysis. It made possible to remove this effect from observation data and to use corrected data in long-term and short-term CR variations analysis.

References: [1]. L.I. Dorman, Cosmic Rays in the Earth's Atmosphere and Underground, Kluwer Academic Publ., Dordrecht/Boston/London, 2004.

**If this papers is presented for a collaboration, please specify the collaboration**

### **Summary**

### **Reference**

**Primary author(s) :** Dr. PUSTILNIK, Lev (Israel Cosmic Ray and Space Weather Center, Tel Aviv University & Israel Space Agency, Israel)

**Co-author(s) :** Prof. DORMAN, Lev (Israel Cosmic Ray and Space Weather Center, Tel Aviv University & Israel Space Agency, Israel); Dr. STERNLIB, Avraam (Israel Cosmic Ray and Space Weather Center, Tel Aviv University & Israel Space Agency, Israel); Dr. ZUKERMAN, Igor (Israel Cosmic Ray and Space Weather Center, Tel Aviv University & Israel Space Agency, Israel)

**Presenter(s) :** Dr. PUSTILNIK, Lev (Israel Cosmic Ray and Space Weather Center, Tel Aviv University & Israel Space Agency, Israel)

**Session Classification :** Posters 2 + Coffee

**Track Classification :** SH.3.6