



Contribution ID : 888

Type : **Poster**

## **Nuclear Cosmic Ray Propagation in the Atmosphere between 10GeV and 10TeV per nucleon**

*Friday, 6 July 2007 14:45 (0:00)*

### **Abstract content**

The future high energy nuclear cosmic ray flux measurements in the upper atmosphere will require large, and thus accurate, corrections for reliable Top of Atmosphere (galactic) fluxes to be derived. In this perspective, the atmospheric corrections are evaluated from the transport calculations of the flux in the atmosphere. The contributions of these corrections to the accuracy of the experimental results are discussed for the B/C and subFe/Fe elements ratios, over the kinetic energy range  $10 - 10^{*}4$  GeV/n. These contributions become largely dominant at the highest energies investigated. The results and the prospects for the galactic flux measurements will be discussed in the presentation.

**If this papers is presented for a collaboration, please specify the collaboration**

### **Summary**

### **Reference**

Proceedings of the 30th International Cosmic Ray Conference; Rogelio Caballero, Juan Carlos D'Olivo, Gustavo Medina-Tanco, Lukas Nellen, Federico A. Sánchez, José F. Valdés-Galicia (eds.); Universidad Nacional Autónoma de México, Mexico City, Mexico, 2008; Vol. 4 (HE part 1), pages 613-616

**Primary author(s) :** Dr. DEROME, Laurent (LPSC/IN2P3/CNRS); Ms. PUTZE, Antje (LPSC/IN2P3/CNRS)

**Co-author(s) :** Dr. MAURIN, David (LPNHE/IN2P3/CNRS); Dr. BUÉNERD, Michel (LPSC/IN2P3/CNRS)

**Presenter(s) :** Dr. DEROME, Laurent (LPSC/IN2P3/CNRS)

**Session Classification :** Posters 2 + Coffee

**Track Classification :** HE.1.6