30th International Cosmic Ray Conference



Contribution ID : 926

Type : Poster

GRB without hard to soft evolution and high energy emission

Friday, 6 July 2007 14:45 (0:00)

Abstract content

Spectral properties of some GRB with presence of high energy component within RHESSI, HETE and SWIFT t90 intervals are discussed. In some cases the temporal profiles of GRB in low and high energy bands are similar but in some cases they are different and maxima are not coincide. We found the same type GRB in CGRO database too – for example, GRB930131. Moreover, for some GRB from CGRO and AVS-F database in which spectra contradict Band model high energy component are present the hard to soft spectral evolution is absent – for example, for GRB930506 (t90=22.144\pm0.091) Epeak on burst begin less than Epeak during other burst parts - Epeak(1-3s)=540\pm58 keV, Epeak(3-7s)=1064\pm38 keV, Epeak(7-23s)=850\pm32 keV. All GRB with such properties are long GRB for standatd BATSE and other classifications including taking in account burst hardness ones. We suppose that such type GRB consist a new subgroup of long GRB.

If this papers is presented for a collaboration, please specify the collaboration

Summary

Reference

Proceedings of the 30th International Cosmic Ray Conference; Rogelio Caballero, Juan Carlos D'Olivo, Gustavo Medina-Tanco, Lukas Nellen, Federico A. Sánchez, José F. Valdés-Galicia (eds.); Universidad Nacional Autónoma de México, Mexico City, Mexico, 2008; Vol. 3 (OG part 2), pages 1143-1146

Primary author(s) : Ms. ARKHANGELSKAJA, Irene (Moscow Engineering Physics Institute (State University)); Dr. MIROSHNICHENKO, Leonid (Instituto de Geofisica, UNAM, Mexico)

Presenter(s) : Dr. MIROSHNICHENKO, Leonid (Instituto de Geofisica, UNAM, Mexico)

Session Classification : Posters 2 + Coffee

Track Classification : OG.2.4