



Contribution ID : 1269

Type : Oral

## Evidence that a cluster of UHECRs was produced by a burst or flare

*Wednesday, 4 July 2007 13:17 (0:12)*

### Abstract content

The Ursa Major (UM) cluster of UHECRs consists of 5 events in the combined HiRes-AGASA sample above 10 EeV which are consistent with coming from a single point source, with little magnetic deflection. The probability of finding the cluster of 4 highest energy events by chance is about  $2 \cdot 10^{-3}$ ; the probability that the 5th low energy event is a chance correlation, given the size of the low energy dataset, is one in 6. The spectrum of the UM UHECR cluster is in good agreement from that expected from a bursting or flaring source, and in poor agreement with that of a continuous source, with a factor 500 relative probability. The energy released in the burst or flare and the time-delay of the UHECRs compared to photons from the burst are determined, as a function of the unknown source distance. Compatibility of these constraints with various models of bursting sources is discussed.

**If this papers is presented for a collaboration, please specify the collaboration**

### Summary

### Reference

Proceedings of the 30th International Cosmic Ray Conference; Rogelio Caballero, Juan Carlos D'Olive, Gustavo Medina-Tanco, Lukas Nellen, Federico A. Sánchez, José F. Valdés-Galicia (eds.); Universidad Nacional Autónoma de México, Mexico City, Mexico, 2008; Vol. 2 (OG part 1), pages 161-164

**Primary author(s) :** Prof. FARRAR, Glennys (New York University)

**Presenter(s) :** Prof. FARRAR, Glennys (New York University)

**Session Classification :** OG 1.2

**Track Classification :** OG.1.2