



Contribution ID : 101

Type : **Poster**

Two-dimensional observation on TeV Cosmic-ray solar diurnal variation using the Tibet Air Shower Array

Monday, 9 July 2007 14:45 (0:00)

Abstract content

The two-dimensional solar diurnal variation of the galactic cosmic-ray intensity is measured in TeV energy range using data taken from Tibet III air shower array (Nov.1999-Nov.2005). The variation are consistent with the Compton-Getting anisotropy due to the terrestrial orbital motion around the sun in the high energy (12TeV) data sample; while an additional variation is observed in the low energy (3TeV) data sample.

If this papers is presented for a collaboration, please specify the collaboration

Tibet AS-Gamma collaboration

Summary

Reference

Proceedings of the 30th International Cosmic Ray Conference; Rogelio Caballero, Juan Carlos D'Olive, Gustavo Medina-Tanco, Lukas Nellen, Federico A. Sánchez, José F. Valdés-Galicia (eds.); Universidad Nacional Autónoma de México, Mexico City, Mexico, 2008; Vol. 1 (SH), pages 577-580

Primary author(s) : Dr. ZHANG, Yi (Institute of High Energy Physics)

Co-author(s) : Mr. FAN, Chao (Institute of High Energy Physics)

Presenter(s) : Dr. ZHANG, Yi (Institute of High Energy Physics)

Session Classification : Posters 3 + Coffee

Track Classification : SH.3.4