



Contribution ID : 988

Type : **Poster**

Sun's Shadow in the Solar Cycle 23 Observed with the Tibet Air Shower Array and Comparison with Simulation Studies

Monday, 9 July 2007 14:45 (0:00)

Abstract content

The solar activity in Cycle 23 gradually changes to final minimum phase. Sun's shadow generated by multi-TeV cosmic-ray particles has been continuously observed with the Tibet-II and Tibet-III air shower array in 1996 through 2006 during almost whole period of the Solar Cycle 23. We have shown that the Sun's shadow is strongly affected by the solar and interplanetary magnetic fields changing with the solar activity in the previous papers. In this paper, we present yearly variation of the Sun's shadow in association with the Solar Cycle 23. Additionally, we discuss about comparison between observation result and simulation result of Sun's shadow using the Radial Field model for the solar minimum (1996) and the maximum (2000 and 2001).

If this papers is presented for a collaboration, please specify the collaboration

The Tibet ASgamma Collaboration

Summary

Reference

Proceedings of the 30th International Cosmic Ray Conference; Rogelio Caballero, Juan Carlos D'Olive, Gustavo Medina-Tanco, Lukas Nellen, Federico A. Sánchez, José F. Valdés-Galicia (eds.); Universidad Nacional Autónoma de México, Mexico City, Mexico, 2008; Vol. 1 (SH), pages 529-532

Primary author(s) : Dr. NISHIZAWA, MASAKI (National Institute of Informatics)

Presenter(s) : Dr. NISHIZAWA, MASAKI (National Institute of Informatics)

Session Classification : Posters 3 + Coffee

Track Classification : SH.3.2