



Contribution ID : 309

Type : Oral

## Energy cross-calibration from the first CREAM flight : transition radiation detector versus calorimeter

*Friday, 6 July 2007 12:17 (0:12)*

### Abstract content

The Cosmic Ray Energetics and Mass (CREAM) balloon experiment had two successful flights in 2004/05 and 2005/06. It was designed to perform energy measurements from a few GeV up to 1000 TeV, taking advantage of different detection techniques. The first instrument, CREAM-I, combined a transition radiation detector (equipped with an array of proportional tubes and an acrylic Cherenkov device) with a calorimeter to provide independent energy measurements of cosmic ray nuclei. Each detector was calibrated with particle beams in a limited range of energies. In order to assess the absolute energy scale of the whole instrument and to investigate the systematic effects of each technique, a cross-calibration was performed by comparing the independent energy estimates on selected samples of Oxygen and Carbon nuclei.

### If this papers is presented for a collaboration, please specify the collaboration

CREAM-I collaboration

### Summary

### Reference

Proceedings of the 30th International Cosmic Ray Conference; Rogelio Caballero, Juan Carlos D'Olivo, Gustavo Medina-Tanco, Lukas Nellen, Federico A. Sánchez, José F. Valdés-Galicia (eds.); Universidad Nacional Autónoma de México, Mexico City, Mexico, 2008; Vol. 2 (OG part 1), pages 333-336

**Primary author(s) :** Dr. MAESTRO, Paolo (University of Siena adn INFN)

**Presenter(s) :** Dr. MAESTRO, Paolo (University of Siena adn INFN); ZEI, Riccardo (University of Siena - INFN)

**Session Classification :** OG 1.5

**Track Classification :** OG.1.5