Proceedings of the 30th International Cosmic Ray Conference Rogelio Caballero, Juan Carlos D'Olivo, Gustavo Medina-Tanco, Lukas Nellen, Federico A. Sánchez, José F. Valdés-Galicia (eds.) Universidad Nacional Autónoma de México, Mexico City, Mexico, 2008

Vol. 3 (OG part 2), pages 1187-1190

30TH INTERNATIONAL COSMIC RAY CONFERENCE



A Search for Prompt Very High Energy Emission from Satellite-detected Gammaray Bursts using Milagro

P. M. SAZ PARKINSON¹ & B. L. DINGUS² FOR THE MILAGRO COLLABORATION.

¹ Santa Cruz Institute for Particle Physics, U. of California, 1156 High Street, Santa Cruz, CA 95064, USA

Abstract: Gamma-ray bursts (GRBs) have been detected up to GeV energies and are predicted by many models to emit in the very high energy (VHE, > 100 GeV) regime too. Detection of such emission would allow us to constrain GRB models. Since its launch, in late 2004, the Swift satellite has been locating GRBs at a rate of approximately 100 per year. The rapid localization and follow-up in many wavelengths has revealed new and unexpected phenomena, such as delayed emission in the form of bright X-ray flares. The Milagro gamma-ray observatory is a wide field of view (2 sr) instrument employing a water Cherenkov detector to continuously (> 90% duty cycle) observe the overhead sky in the 100 GeV to 100 TeV energy range. Over 100 GRBs are known to have been in the field of view of Milagro since January 2000, including 57 since the launch of Swift (through May 2007). We discuss the results of the searches for prompt emission from these bursts, as well as for delayed emission from the X-ray flares observed in some of the Swift bursts.

Introduction

Almost 40 years after the detection of the first gamma-ray burst (GRB), many questions remain about these powerful explosions. Progress in the field has accelerated in the decade since the detection of the first X-ray afterglow [1]. The launch of Swift [2], in late 2004, has resulted in the rapid and accurate localization of \sim 100 GRBs per year. This has enabled an unprecedented number of multiwavelength follow-up observations in every band of the electromagnetic spectrum, from radio to the highest energy gamma rays, paving the way for a more complete understanding of these phenomena. The highest energy emission to be detected conclusively from GRBs was seen by the EGRET instrument. EGRET detected several bursts above 100 MeV, with no evidence for a cut-off in the spectrum [3]. One burst in particular, GRB 940217, emitted an 18 GeV photon over 90 minutes after the start of the burst [4]. Another burst, GRB 941017, was found to display a second, higher energy, spectral component which extended up to at least 200 MeV and decayed more slowly than the lower energy component [5]. On this evidence alone, the expectations are that the upcoming launch of GLAST, with its much higher sensitivity than EGRET, will result in a large number of detections at high energies, leading to a better understanding of the GeV properties of GRBs.

At very high energy (VHE, >100 GeV), there have been no conclusive detections of GRBs, although there have been several tantalizing hints of emission. Milagrito, a prototype of Milagro, searched for emission coincident with 54 BATSE bursts and reported evidence for emission above 650 GeV from GRB 970417a, at the 3σ level [6, 7]. The HEGRA group reported evidence at the 3 sigma level for emission above 20 TeV from GRB 920925c [8]. Follow-up observations above 250 GeV by the Whipple atmospheric Cherenkov telescope [9] failed to find any high energy afterglow for 9 bursts studied, though the delay in slewing to observe these bursts ranged from 2 minutes to almost an hour. More recent efforts by the MAGIC [10], Whipple [11], and Milagro [12] telescopes have resulted only in upper limits.

There is no shortage of models predicting (or explaining) very high energy emission from GRBs (e.g. [13, 14, 15, 16, 17]). Many of the pro-

² Group P-23, Los Alamos National Laboratory, P.O. Box 1663, Los Alamos, NM 87545, USA pablo@scipp.ucsc.edu; dingus@lanl.gov

posed emission mechanisms predict a fluence at TeV energies comparable to that at keV-MeV energies. One such mechanism involves the inverse Compton upscattering of lower energy (synchrotron) photons by the energetic electrons which emitted them. The strong magnetic fields and large bulk Lorentz factors present in GRB jets can result in a high energy component peaked at TeV energies. The strength of such a component is highly dependent on the environments of the particle acceleration and the gamma ray production.

Milagro[18, 19] is a TeV gamma-ray detector, located at an altitude of 2630 m in northern New Mexico. Milagro uses the water Cherenkov technique to detect extensive air-showers produced by VHE gamma rays as they interact with the Earth's atmosphere. The Milagro field of view is ~ 2 sr and duty cycle is >90%. The effective area is a function of zenith angle and ranges from $\sim 50 \text{ m}^2$ at 100 GeV to $\sim 10^5$ m² at 10 TeV. A sparse array of 175 4000-1 water tanks, each with a PMT, was added in 2002. These "outriggers," extend the physical area of Milagro to 40000 m². The combination of large field of view and high duty cycle make Milagro the best instrument currently available for conducting a search for prompt VHE emission from GRBs. Milagro is also able to operate in "scaler" mode, where individual tube rates can be monitored to search for GRB emission in the 1-100 GeV energy range coincident in time with known satellite bursts (see [20, 21]). In addition to conducting a search for emission from satellitedetected GRBs, Milagro is capable of performing a blind search for emission at all locations in its field of view and many different durations (see [22]).

The GRB Sample

Twenty-five satellite-triggered GRBs occurred within the field of view of Milagro between January 2000 and December 2001. No significant emission was detected from any of these bursts [23]. In the period from January 2002 to December 2004 (post-BATSE and pre-Swift), there were only 11 well-localized GRBs within the Milagro field of view. Since the launch of Swift (through the end of May 2007), however, there have been a total of 57 bursts in the field of view of Milagro ¹, many of them with measured red-

shift. Table 1 lists the 57 GRBs in this sample, along with some of their properties. Due to the absorption of high-energy gamma rays by the extragalactic background light (EBL), detections at VHE energies are only expected for redshifts less than \sim 0.5. The degree of gamma-ray extinction from this effect is uncertain, because the amount of EBL is not well known. In this work we use the model of [24], which predicts an optical depth of roughly unity for 500 GeV (10 TeV) gamma rays from a redshift of 0.2 (0.05).

Bright X-ray Flares

One of the highlights of the Swift mission has been the detection of bright X-ray flares in the afterglow phase of many GRBs [25]. These flares can sometimes be as bright as the prompt component of the GRB itself. While the exact nature of the flares is not clear, with various different proposals for what may be causing them (e.g. [26, 27, 28]), there are reasonable expectations that these flares will result in the emission of delayed very high energy photons [29]. The first survey of X-ray flares from GRBs observed by Swift in the first year of operations [30] shows that approximately one third of GRBs show significant flaring activity. Table 2 lists the 10 flares from the flare catalog of [30, 31] which were in the field of view of Milagro.

Data Analysis and Results

A search for an excess of events above those due to the background was made for each of the 57 bursts in Table 1, as well as for the 10 flares listed in Table 2. The number of events falling within a 1.6 degree bin was summed for the relevant duration. An estimate of the number of background events was made by characterizing the angular distribution of the background using two hours of data surrounding the burst (or flare), as described in [32]. No significant emission was detected. The upper limits are given in the final column of Table 1 and Table 2. For those bursts with known redshift, we

^{1.} A good source of information on well-localized GRBs is J. Greiner's web page http://www.mpe.mpg.de/~jcg/grbgen.html

compute the effect of the absorption, according to the model of [24] and print the upper limits in bold. Among the most interesting limits presented here is the one for GRB 070521, recently detected by Swift. Assuming a redshift of 0.55 for the possible host [33], the Milagro upper limit [34] on the fluence is lower than the $\sim 1.8 \times 10^{-5}$ erg cm⁻² measured by the Konus-Wind experiment [35] in the 20 keV – 1 MeV energy range. It should be noted, however, that [36] have calculated a "pseudo-redshift" for this burst of pz= 2.28 ± 0.45 , and on these grounds, claim it is incompatible with the spectroscopic redshift of 0.55.

Acknowledgments

We have used GCN Notices to select raw data for archiving and use in this search, and we are grateful for the hard work of the GCN team, especially Scott Barthelmy. We are grateful to Kevin Hurley for his help with the IPN bursts. acknowledge Scott Delay and Michael Schneider for their dedicated efforts in the construction and maintenance of the Milagro experiment. This work has been supported by the National Science Foundation (under grants PHY-0245234, -0302000, -0400424, -0504201, -0601080, and ATM-0002744) the US Department of Energy (Office of High-Energy Physics and Office of Nuclear Physics), Los Alamos National Laboratory, the University of California, and the Institute of Geophysics and Planetary Physics.

References

- [1] Costa, E., et al. 1997, Nature, 387, 783
- [2] Gehrels, N., et al. 2004, ApJ, 611, 1005
- [3] Dingus, B. L., 2001, AIP Conf. Proc. 558, 383
- [4] Hurley, K., et al. 1994, Nature, 372, 652
- [5] Gonzalez, M. M. et al. 2003, Nature, 424, 749
- [6] Atkins, R. et al. 2000, ApJL, 533, L119
- [7] Atkins, R., et al. 2003, ApJ, 583, 824
- [8] Padilla, L., et al. 1998, Astronomy and Astrophysics, 337, 43
- [9] Connaughton, V., et al. 1997, ApJ, 479, 859
- [10] Albert, J., et al. 2006, astro-ph/0612548

- [11] Horan, D., et al. 2007, ApJ, 655, 396
- [12] Saz Parkinson, P. M. 2007, Proceedings of the First International GLAST Symposium, astro-ph/0704.0287
- [13] Dermer, C. D., Chiang, J., & Mitman, K. E. 2000, ApJ 537, 785
- [14] Pilla, R. P. & Loeb, A. 1998, ApJL 494, L167
- [15] Zhang, B. & Mészáros, P. 2001, ApJ 559,
- [16] Granot, J., & Guetta, D. 2003, ApJL, 598,
- [17] Gupta, N., & Zhang, B. 2007, ArXiv e-prints, 704, arXiv:0704.1329
- [18] Atkins, R. et al. 2000, Nucl. Instr. and Meth., A449, 478
- [19] Atkins, R. et al. 2001, astro-ph/0110513
- [20] Aune, T., et al., 30th International Cosmic Ray Conference, Mérida, México (2007)
- [21] Alvarez, C., et al., 30th International Cosmic Ray Conference, Mérida, México (2007)
- [22] Vasileiou, V., et al., 30th International Cosmic Ray Conference, Mérida, México (2007)
- [23] Atkins, R., et al. 2005, ApJ, 630, 996
- [24] Primack, J. R., Bullock, J. S., & Somerville, R. S. 2005, High Energy Gamma-Ray Astronomy, 745, 23
- [25] Burrows, D. N., et al. 2005, Science, 309, 1833
- [26] Guetta, D., et al. 2007, A&A, 461, 95
- [27] Kobayashi, S., Zhang, B., Mészáros, P., & Burrows, D. 2007, ApJ, 655, 391
- [28] Krimm, H. A., et al. 2007, astro-ph/0702603
- [29] Wang, X.-Y., Li, Z., & Mészáros, P. 2006, ApJL, 641, L89
- [30] Chincarini, G., et al. 2007, astro-ph/0702371
- [31] Falcone, A. D., et al. 2007, in preparation (private communication)
- [32] Atkins, R. et al. 2003, ApJ, 595, 803
- [33] Hattori, T., et al. 2007, GCN Circular 6444
- [34] Saz Parkinson, P. M., et al. 2007, GCN Circular 6448
- [35] Golenetskii, S. et al. 2007, GCN Circular 6459
- [36] Pelangeon, A. & Atteia, J-L 2007, GCN Circular 6460

041219a 520 27 INT. 5.8e-6 050124 4 23 Swift 3.0e-7 050213 17 23 IPN 1.3e-6 050402 8 40 Swift 050412 26 37 Swift 1.7e-6 050502 20 43 3.793 INT. 1.3e-6 050505 60 29 4.3 Swift 0505050 60 29 4.3 Swift 0505050 60 29 4.3 Swift 0505050 0.128 10 0.226? Swift 050607 26.5 29 Swift 1.7e-6 050712 35 39 Swift 1.7e-6 050715 52 37 Swift 1.7e-6 050716 69 30	GRB	Dur.	θ	Z	Inst.	UL
050213 17 23 IPN 1.3e-6 050319 15 45 3.24 Swift 050402 8 40 Swift 1.7e-6 050402 26 37 Swift 1.7e-6 050504 80 28 INT. 1.3e-6 050505 60 29 4.3 Swift 050509b 0.128 10 0.226? Swift 1.1e-6 0505071 26.5 29 Swift 8.9e-7 050703 26 26 IPN 1.2e-6 050712 35 39 Swift 4.0e-6 050715 52 37 Swift 1.7e-6 050716 69 30 Swift 1.6e-6 050715 52 37 Swift 1.7e-6 050716 69 30 <	041219a	520	27		INT.	5.8e-6
050213 17 23 IPN 1.3e-6 050319 15 45 3.24 Swift 050402 8 40 Swift 1.7e-6 050504 26 37 Swift 1.7e-6 050504 80 28 INT. 1.3e-6 050505 60 29 4.3 Swift 050509b 0.128 10 0.226? Swift 1.1e-6 0505021 15 23 INT. 5.1e-7 050703 26 26 IPN 1.2e-6 050712 35 39 Swift 4.0e-6 050715 52 37 Swift 1.7e-6 050716 69 30 Swift 1.7e-6 050716 69 30 Swift 1.7e-6 050820 20 22	050124	4	23		Swift	3.0e-7
050319 15 45 3.24 Swift 050402 8 40 Swift 1.7e-6 050402 26 37 Swift 1.7e-6 050502 20 43 3.793 INT. 050505 60 29 4.3 Swift 050509b 0.128 10 0.226? Swift 1.1e-6 0505022 15 23 INT. 5.1e-7 050607 26.5 29 Swift 8.9e-7 050703 26 26 IPN 1.2e-6 050712 35 39 Swift 4.0e-6 050715 52 37 Swift 1.7e-6 050716 69 30 Swift 1.7e-6 050715 52 37 Swift 1.7e-6 050716 69 30 <	050213	17	23		IPN	1.3e-6
050402 8 40 Swift 2.1e-6 050412 26 37 Swift 1.7e-6 050502 20 43 3.793 INT. 050504 80 28 INT. 1.3e-6 050505 60 29 4.3 Swift 050509b 0.128 10 0.226? Swift 1.1e-6 05050703 26 26 IPN 1.2e-6 0507013 26 26 IPN 1.2e-6 050712 35 39 Swift 4.0e-6 050715 52 37 Swift 1.7e-6 050716 69 30 Swift 1.7e-6 050715 52 37 Swift 051103 0.17 50 0.001? IPN 4.2e-6 051021 3.4 1.55	050319	15	45		Swift	
050412 26 37 Swift 1.7e-6 050502 20 43 3.793 INT. 050504 80 28 INT. 1.3e-6 050505 60 29 4.3 Swift 050509b 0.128 10 0.226? Swift 1.1e-6 05050712 25.5 29 Swift 8.9e-7 050703 26 26 IPN 1.2e-6 050712 35 39 Swift 4.0e-6 050715 52 37 Swift 4.0e-6 050716 69 30 Swift 1.6e-6 050820 20 22 2.612 Swift 051103 0.17 50 0.001? IPN 4.2e-6 051110 36 9.7 2.346 Swift 051211b 80 33						
050502 20 43 3.793 INT. 050504 80 28 INT. 1.3e-6 050505b 60 29 4.3 Swift 050509b 0.128 10 0.226? Swift 1.1e-6 0505022 15 23 INT. 5.1e-7 050703 26 26 IPN 1.2e-6 050712 35 39 Swift 4.0e-6 050715 52 37 Swift 1.7e-6 050716 69 30 Swift 1.7e-6 050716 69 30 Swift 051103 0.17 50 0.001? IPN 4.2e-6 051103 0.17 50 0.001? IPN 4.2e-6 051103 0.17 50 0.001? IPN 4.2e-6 051211b 80 33		26				
050504 80 28 INT. 1.3e-6 050505 60 29 4.3 Swift 050509b 0.128 10 0.226? Swift 1.1e-6 050522 15 23 INT. 5.1e-7 050703 26 26 IPN 1.2e-6 050712 35 39 Swift 4.0e-6 050715 52 37 Swift 1.7e-6 050716 69 30 Swift 1.7e-6 050716 69 30 Swift 1.6e-6 050820 20 22 2.612 Swift 051103 0.17 50 0.001? IPN 4.2e-6 051111 20 44 1.55 Swift 05121b 80 33 INT. 2.6e-6 051221 1.4 42						
050505 60 29 4.3 Swift 1.1e-6 050509b 0.128 10 0.226? Swift 1.1e-6 0505022 15 23 INT. 5.1e-7 050607 26.5 29 Swift 8.9e-7 050703 26 26 IPN 1.2e-6 050712 35 39 Swift 4.0e-6 050715 52 37 Swift 1.6e-6 050716 69 30 Swift 1.6e-6 050820 20 22 2.612 Swift 051103 0.17 50 0.001? IPN 4.2e-6 051109 36 9.7 2.346 Swift 051211b 80 33 INT. 2.6e-6 051221 1.4 42 0.55 Swift 1.8e-6 051221b 61 26 </td <td>050504</td> <td>80</td> <td>28</td> <td></td> <td>INT.</td> <td></td>	050504	80	28		INT.	
050509b 0.128 10 0.226? Swift 1.1e-6 050522 15 23 INT. 5.1e-7 050607 26.5 29 Swift 8.9e-7 050703 26 26 IPN 1.2e-6 050712 35 39 Swift 4.0e-6 050715 52 37 Swift 1.7e-6 050716 69 30 Swift 1.6e-6 050820 20 22 2.612 Swift 051103 0.17 50 0.001? IPN 4.2e-6 051109 36 9.7 2.346 Swift 051211 80 33 INT. 2.6e-6 051221 1.4 42 0.55 Swift 1.8e-6 060102 20 40 Swift 4.1e-7 060110 15 43		60	29		Swift	
050522 15 23 INT. 5.1e-7 050607 26.5 29 Swift 8.9e-7 050703 26 26 IPN 1.2e-6 050712 35 39 Swift 4.0e-6 050715 52 37 Swift 1.7e-6 050716 69 30 Swift 051103 0.17 50 0.001? IPN 4.2e-6 051109 36 9.7 2.346 Swift 051111 20 44 1.55 Swift 051221b 80 33 INT. 2.6e-6 051221b 61 26 Swift 1.8e-6 060102 20 40 Swift 2.0e-6 060109 10 22 Swift 3.e-6 060110 15 43 <t></t>						
050607 26.5 29 Swift 8.9e-7 050703 26 26 IPN 1.2e-6 050712 35 39 Swift 4.0e-6 050715 52 37 Swift 1.7e-6 050716 69 30 Swift 051103 0.17 50 0.001? IPN 4.2e-6 051109 36 9.7 2.346 Swift 051111 20 44 1.55 Swift 051211b 80 33 INT. 2.6e-6 051221 1.4 42 0.55 Swift 1.8e-6 060102 20 40 Swift 3.0e-6 060109 10 22 Swift 4.1e-7 060110 15 43 Swift 2.7e-6 060114 100 41						
050703 26 26 IPN 1.2e-6 050712 35 39 Swift 2.5e-6 050713b 30 44 Swift 4.0e-6 050715 52 37 Swift 1.7e-6 050716 69 30 Swift 1.6e-6 050820 20 22 2.612 Swift 051103 0.17 50 0.001? IPN 4.2e-6 051109 36 9.7 2.346 Swift 051111 20 44 1.55 Swift 05121b 80 33 INT. 2.6e-6 051221 1.4 42 0.55 Swift 1.8e-6 060102 20 40 Swift 3.ee-6 060109 10 22 Swift 4.le-7 060110 15 43						
050712 35 39 Swift 4.0e-6 050713b 30 44 Swift 4.0e-6 050715 52 37 Swift 1.7e-6 050716 69 30 Swift 1.6e-6 050820 20 22 2.612 Swift 051109 36 9.7 2.346 Swift 051111 20 44 1.55 Swift 051211b 80 33 INT. 2.6e-6 051221 1.4 42 0.55 Swift 9.8e-4 051221b 61 26 Swift 2.0e-6 060109 10 22 Swift 4.1e-7 060110 15 43 Swift 2.0e-6 060114 100 41 INT. 5.1e-6 060218 10 45						
050713b 30 44 Swift 4.0e-6 050715 52 37 Swift 1.7e-6 050716 69 30 Swift 1.6e-6 050820 20 22 2.612 Swift 051103 0.17 50 0.001? IPN 4.2e-6 051109 36 9.7 2.346 Swift 051211b 80 33 INT. 2.6e-6 051221 1.4 42 0.55 Swift 9.8e-4 051221b 61 26 Swift 1.8e-6 060102 20 40 Swift 4.1e-7 060109 10 22 Swift 4.1e-7 060110 15 43 Swift 2.3e-6 060111b 59 37 Swift 2.7e-6 060210 5 43						
050715 52 37 Swift 1.7e-6 050716 69 30 Swift 1.6e-6 050820 20 22 2.612 Swift 051103 0.17 50 0.001? IPN 4.2e-6 051109 36 9.7 2.346 Swift 051211b 80 33 INT. 2.6e-6 051221 1.4 42 0.55 Swift 1.8e-6 060102 20 40 Swift 2.0e-6 060109 10 22 Swift 4.e-7 060110 15 43 Swift 2.3e-6 060114 100 41 INT. 5.1e-6 06021b 5 43 3.91 Swift 2.7e-6 060210 5 43 3.91 Swift 3.8e-5 060210 5 43						
050716 69 30 Swift 050820 20 22 2.612 Swift 051103 0.17 50 0.001? IPN 4.2e-6 051109 36 9.7 2.346 Swift 051211 20 44 1.55 Swift 051221 1.4 42 0.55 Swift 9.8e-4 051221b 61 26 Swift 2.0e-6 060102 20 40 Swift 2.0e-6 060109 10 22 Swift 3.0e-6 060110 15 43 Swift 3.0e-6 060114 100 41 INT. 5.1e-6 060204b 134 31 Swift 2.7e-6 060210 5 43 3.91 Swift 060218 10 45 <						
050820 20 22 2.612 Swift 051103 0.17 50 0.001? IPN 4.2e-6 051109 36 9.7 2.346 Swift 051111 20 44 1.55 Swift 051211b 80 33 INT. 2.6e-6 051221b 61 26 Swift 1.8e-6 060102 20 40 Swift 2.0e-6 060109 10 22 Swift 3.0e-6 060110 15 43 Swift 3.0e-6 060111b 59 37 Swift 2.3e-6 060214 100 41 INT. 5.1e-6 060210 5 43 3.91 Swift 060218 10 45 0.03 Swift 3.8e-5 060312 30 44						
051103 0.17 50 0.001? IPN 4.2e-6 051109 36 9.7 2.346 Swift 051111 20 44 1.55 Swift 051211b 80 33 INT. 2.6e-6 051221 1.4 42 0.55 Swift 1.8e-6 060102 20 40 Swift 2.0e-6 060109 10 22 Swift 3.0e-6 060110 15 43 Swift 2.3e-6 060114 100 41 INT. 5.1e-6 060210 5 43 3.91 Swift 2.7e-6 060210 5 43 3.91 Swift 060218 10 45 0.03 Swift 3.8e-5 060306 30 46 Swift 3.3e-5 060313 0.7 47						
051109 36 9.7 2.346 Swift 051111 20 44 1.55 Swift 051211b 80 33 INT. 2.6e-6 051221b 61 26 Swift 1.8e-6 060102 20 40 Swift 2.0e-6 060109 10 22 Swift 3.0e-6 060110 15 43 Swift 2.3e-6 060114 100 41 INT. 5.1e-6 06021b 134 31 Swift 2.7e-6 06021b 5 43 3.91 Swift 2.7e-6 06021a 10 45 0.03 Swift 3.8e-5 060306 30 46 Swift 7.2e-6 060312 30 44 Swift 3.3e-6 060427b 0.22 16						
051111 20 44 1.55 Swift 051211b 80 33 INT. 2.6e-6 051221 1.4 42 0.55 Swift 9.8e-4 051221b 61 26 Swift 1.8e-6 060102 20 40 Swift 2.0e-6 060109 10 22 Swift 4.1e-7 060110 15 43 Swift 2.3e-6 060114 100 41 INT. 5.1e-6 060210 5 43 3.91 Swift 2.7e-6 060218 10 45 0.03 Swift 3.8e-5 060218 10 45 0.03 Swift 7.2e-6 060218 10 45 0.03 Swift 3.8e-5 060313 0.7 47 Swift 2.7e-6 060427b 0.22 16						
051211b 80 33 INT. 2.6e-6 051221 1.4 42 0.55 Swift 9.8e-4 051221b 61 26 Swift 1.8e-6 060102 20 40 Swift 2.0e-6 060109 10 22 Swift 4.1e-7 060110 15 43 Swift 2.3e-6 060114 100 41 INT. 5.1e-6 060210 5 43 3.91 Swift 2.7e-6 060210 5 43 3.91 Swift 2.7e-6 060210 5 43 3.91 Swift 2.7e-6 060218 10 45 0.03 Swift 3.8e-5 060313 0.7 47 Swift 2.7e-6 060427b 0.22 16 IPN 2.1e-7 060428b 58 27						
051221 1.4 42 0.55 Swift 1.8e-6 051221b 61 26 Swift 1.8e-6 060102 20 40 Swift 2.0e-6 060109 10 22 Swift 3.0e-6 060110 15 43 Swift 2.3e-6 060114 100 41 INT. 5.1e-6 060204b 134 31 Swift 2.7e-6 060210 5 43 3.91 Swift 060218 10 45 0.03 Swift 3.8e-5 060306 30 46 Swift 7.2e-6 060312 30 44 Swift 2.7e-6 060403 25 28 Swift 2.7e-6 060427b 0.22 16 IPN 2.1e-7 060428b 58 27						
051221b 61 26 Swift 1.8e-6 060102 20 40 Swift 2.0e-6 060109 10 22 Swift 4.1e-7 060110 15 43 Swift 2.3e-6 060111b 59 37 Swift 2.3e-6 060114 100 41 INT. 5.1e-6 060204b 134 31 Swift 2.7e-6 060210 5 43 3.91 Swift 060218 10 45 0.03 Swift 060312 30 44 Swift 2.7e-6 060312 30 44 Swift 3.3e-6 060403 25 28 Swift 2.7e-6 060427b 0.22 16 IPN 2.1e-7 060428b 58 27						
060102 20 40 Swift 2.0e-6 060109 10 22 Swift 4.1e-7 060110 15 43 Swift 3.0e-6 060111b 59 37 Swift 2.3e-6 060114 100 41 INT. 5.1e-6 060210 5 43 3.91 Swift 060218 10 45 0.03 Swift 3.8e-5 060306 30 46 Swift 7.2e-6 060312 30 44 Swift 2.7e-6 060427b 0.22 16 IPN 2.1e-7 060427b 0.22 16 IPN 2.1e-7 060428b 58 27 Swift 1.8e-5 060510b 330 43 4.9 Swift 1.8e-5 060515 52 42						
060109 10 22 Swift 4.1e-7 060110 15 43 Swift 3.0e-6 060111b 59 37 Swift 2.3e-6 060114 100 41 INT. 5.1e-6 060204b 134 31 Swift 2.7e-6 060218 10 45 0.03 Swift 3.8e-5 060306 30 46 Swift 7.2e-6 060312 30 44 Swift 2.7e-6 060312 30 44 Swift 2.7e-6 060313 0.7 47 Swift 2.7e-6 060427b 0.22 16 IPN 2.1e-7 060428b 58 27 Swift 1.8e-5 060507 185 47 Swift 1.8e-6 06051b 330 43						
060110 15 43 Swift 3.0e-6 060111b 59 37 Swift 2.3e-6 060114 100 41 INT. 5.1e-6 060204b 134 31 Swift 060210 5 43 3.91 Swift 060218 10 45 0.03 Swift 3.8e-5 060306 30 46 Swift 3.3e-6 060312 30 44 Swift 2.7e-6 060403 25 28 Swift 1.0e-6 060427b 0.22 16 IPN 2.1e-7 060428b 58 27 Swift 1.8e-5 060507 185 47 Swift 1.8e-5 060515 52 42 Swift 2.5e-6 060712 26 35						
060111b 59 37 Swift 2.3e-6 060114 100 41 INT. 5.1e-6 060204b 134 31 Swift 2.7e-6 060210 5 43 3.91 Swift 060218 10 45 0.03 Swift 7.2e-6 060312 30 46 Swift 7.2e-6 060312 30 44 Swift 2.7e-6 060403 25 28 Swift 1.0e-6 060427b 0.22 16 IPN 2.1e-7 060428b 58 27 Swift 1.8e-5 060507 185 47 Swift 1.8e-5 060510b 330 43 4.9 Swift 1.8e-6 060712 26 35 Swift 2.5e-6 060914 146 23						
060114 100 41 INT. 5.1e-6 060204b 134 31 Swift 2.7e-6 060210 5 43 3.91 Swift 060218 10 45 0.03 Swift 3.8e-5 060306 30 46 Swift 7.2e-6 060312 30 44 Swift 2.7e-6 060403 25 28 Swift 1.0e-6 060427b 0.22 16 IPN 2.1e-7 060428b 58 27 Swift 1.8e-5 060507 185 47 Swift 1.8e-5 060510b 330 43 4.9 Swift 060515 52 42 Swift 3.8e-6 060712 26 35 Swift 2.5e-6 060904A 80 14						
060204b 134 31 Swift 2.7e-6 060210 5 43 3.91 Swift 060218 10 45 0.03 Swift 3.8e-5 060306 30 46 Swift 3.3e-6 060312 30 44 Swift 2.7e-6 060403 25 28 Swift 1.0e-6 060427b 0.22 16 IPN 2.1e-7 060428b 58 27 Swift 1.8e-5 060507 185 47 Swift 1.8e-5 060510b 330 43 4.9 Swift 060515 52 42 Swift 3.8e-6 060912 26 35 Swift 2.5e-6 06094A 80 14 Swift 2.e-6 060906 43.6 29						
060210 5 43 3.91 Swift 060218 10 45 0.03 Swift 3.8e-5 060306 30 46 Swift 7.2e-6 060312 30 44 Swift 2.7e-6 0604031 25 28 Swift 1.0e-6 060427b 0.22 16 IPN 2.1e-7 060428b 58 27 Swift 1.8e-5 060507 185 47 Swift 1.8e-5 060510b 330 43 4.9 Swift Swift 9.6e-6 060515 52 42 Swift 3.8e-6 060814 146 23 Swift 2.5e-6 060904A 80 14 Swift 4.0e-6 061022 20 45 Swift 4.0e-6 061126 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
060218 10 45 0.03 Swift 3.8e-5 060306 30 46 Swift 7.2e-6 060312 30 44 Swift 3.3e-6 060313 0.7 47 Swift 1.0e-6 060403 25 28 Swift 1.0e-6 060427b 0.22 16 IPN 2.1e-7 060428b 58 27 Swift 1.1e-6 060507 185 47 Swift 1.8e-5 060510b 330 43 4.9 Swift 060515 52 42 Swift 3.8e-6 060712 26 35 Swift 3.8e-6 060814 146 23 Swift 2.5e-6 060904A 80 14 Swift 2.4e-6 060906 43.6 29						
060306 30 46 Swift 7.2e-6 060312 30 44 Swift 3.3e-6 060313 0.7 47 Swift 2.7e-6 060403 25 28 Swift 1.0e-6 060427b 0.22 16 IPN 2.1e-7 060428b 58 27 Swift 1.1e-6 060507 185 47 Swift 1.8e-5 060510b 330 43 4.9 Swift 060515 52 42 Swift 3.8e-6 060712 26 35 Swift 3.8e-6 060814 146 23 Swift 2.5e-6 060904A 80 14 Swift 2.4e-6 061002 20 45 Swift 4.0e-6 061126 191 28						
060312 30 44 Swift 3.3e-6 060313 0.7 47 Swift 2.7e-6 060403 25 28 Swift 1.0e-6 060427b 0.22 16 IPN 2.1e-7 060428b 58 27 Swift 1.8e-5 060507 185 47 Swift 1.8e-5 060510b 330 43 4.9 Swift 060515 52 42 Swift 9.6e-6 060712 26 35 Swift 2.5e-6 060904A 80 14 Swift 2.5e-6 060906 43.6 29 3.685 Swift 061002 20 45 Swift 4.0e-6 061210 0.8 23 0.41? Swift 4.3e-6 061222a 115 30 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
060313 0.7 47 Swift 2.7e-6 060403 25 28 Swift 1.0e-6 060427b 0.22 16 IPN 2.1e-7 060428b 58 27 Swift 1.1e-6 060507 185 47 Swift 1.8e-5 060510b 330 43 4.9 Swift 1.8e-5 060515 52 42 Swift 9.6e-6 060712 26 35 Swift 2.5e-6 060814 146 23 Swift 2.5e-6 060904A 80 14 Swift 2.4e-6 061002 20 45 Swift 4.0e-6 061126 191 28 Swift 4.3e-6 06122a 115 30 Swift 5.6e-6 070103 19 39 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
060403 25 28 Swift 1.0e-6 060427b 0.22 16 IPN 2.1e-7 060428b 58 27 Swift 1.1e-6 060507 185 47 Swift 1.8e-5 060510b 330 43 4.9 Swift 060515 52 42 Swift 9.6e-6 060712 26 35 Swift 2.5e-6 060814 146 23 Swift 2.5e-6 060904A 80 14 Swift 2.4e-6 060906 43.6 29 3.685 Swift 061002 20 45 Swift 4.0e-6 061126 191 28 Swift 4.3e-6 061222a 115 30 Swift 5.6e-6 070125 60 9.5						
060427b 0.22 16 IPN 2.1e-7 060428b 58 27 Swift 1.1e-6 060507 185 47 Swift 1.8e-5 060510b 330 43 4.9 Swift 060515 52 42 Swift 3.8e-6 060712 26 35 Swift 2.5e-6 060914 146 23 Swift 2.5e-6 060904A 80 14 Swift 2.4e-6 060906 43.6 29 3.685 Swift 4.0e-6 061002 20 45 Swift 4.0e-6 061126 191 28 Swift 4.3e-6 061222a 115 30 Swift 1.3e-6 070123 19 39 Swift 1.3e-6 070125 60 9.5 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
060428b 58 27 Swift 1.1e-6 060507 185 47 Swift 1.8e-5 060510b 330 43 4.9 Swift 060515 52 42 Swift 9.6e-6 060712 26 35 Swift 2.5e-6 060814 146 23 Swift 2.5e-6 060904A 80 14 Swift 2.4e-6 060906 43.6 29 3.685 Swift 4.0e-6 061126 191 28 Swift 4.3e-6 061210 0.8 23 0.41? Swift 4.e-6 06122a 115 30 Swift 1.e-6 070103 19 39 Swift 1.3e-6 070125 60 9.5 1.547 IPN 4.5e-4 070129 460 31 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
060507 185 47 Swift 1.8e-5 060510b 330 43 4.9 Swift 060515 52 42 Swift 9.6e-6 060712 26 35 Swift 3.8e-6 060814 146 23 Swift 2.5e-6 060904A 80 14 Swift 2.4e-6 060906 43.6 29 3.685 Swift 061002 20 45 Swift 4.0e-6 061126 191 28 Swift 4.3e-6 061210 0.8 23 0.41? Swift 6.1e-6 061222a 115 30 Swift 1.3e-6 070125 60 9.5 1.547 IPN 4.5e-4 070129 460 31 Swift 1.9e-6 070208 50 32 <td>060428b</td> <td></td> <td></td> <td></td> <td>Swift</td> <td></td>	060428b				Swift	
060510b 330 43 4.9 Swift 060515 52 42 Swift 9.6e-6 060712 26 35 Swift 3.8e-6 060814 146 23 Swift 2.5e-6 060904A 80 14 Swift 2.4e-6 060906 43.6 29 3.685 Swift 061002 20 45 Swift 4.0e-6 061126 191 28 Swift 4.3e-6 061210 0.8 23 0.41? Swift 6.1e-6 06122a 115 30 Swift 1.3e-6 070123 60 9.5 1.547 IPN 4.5e-4 070129 460 31 Swift 1.9e-6 070208 50 32 1.165 Swift 4.0e-4 070402 12 12 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
060515 52 42 Swift 9.6e-6 060712 26 35 Swift 3.8e-6 060814 146 23 Swift 2.5e-6 060904A 80 14 Swift 2.4e-6 060906 43.6 29 3.685 Swift 061002 20 45 Swift 4.0e-6 061126 191 28 Swift 4.3e-6 061210 0.8 23 0.41? Swift 5.6e-6 070103 19 39 Swift 1.3e-6 070125 60 9.5 1.547 IPN 4.5e-4 070129 460 31 Swift 1.9e-6 070208 50 32 1.165 Swift 4.0e-4 070402 12 12 IPN 4.6e-7 070521 60 8.7 <td>060510b</td> <td></td> <td>43</td> <td></td> <td></td> <td></td>	060510b		43			
060712 26 35 Swift 3.8e-6 060814 146 23 Swift 2.5e-6 060904A 80 14 Swift 2.4e-6 060906 43.6 29 3.685 Swift 061002 20 45 Swift 4.0e-6 061126 191 28 Swift 4.3e-6 061210 0.8 23 0.41? Swift 5.6e-6 070103 19 39 Swift 1.3e-6 070125 60 9.5 1.547 IPN 4.5e-4 070129 460 31 Swift 1.9e-6 070208 50 32 1.165 Swift 4.0e-4 070402 12 12 IPN 4.6e-7 070521 60 8.7 0.55? Swift 1.1e-5	060515	52				
060814 146 23 Swift 2.5e-6 060904A 80 14 Swift 2.4e-6 060906 43.6 29 3.685 Swift 061002 20 45 Swift 4.0e-6 061126 191 28 Swift 4.3e-6 0612210 0.8 23 0.41? Swift 5.6e-6 070103 19 39 Swift 1.3e-6 070125 60 9.5 1.547 IPN 4.5e-4 070129 460 31 Swift 1.9e-6 070208 50 32 1.165 Swift 4.0e-4 070402 12 12 IPN 4.6e-7 070521 60 8.7 0.55? Swift 1.1e-5						
060904A 80 14 Swift 2.4e-6 060906 43.6 29 3.685 Swift 061002 20 45 Swift 4.0e-6 061126 191 28 Swift 4.3e-6 061210 0.8 23 0.41? Swift 5.6e-6 061222a 115 30. Swift 1.3e-6 070103 19 39 Swift 1.3e-6 070125 60 9.5 1.547 IPN 4.5e-4 070129 460 31 Swift 1.9e-6 070208 50 32 1.165 Swift 4.0e-4 070411 50 33 INT. 2.0e-6 070402 12 12 IPN 4.6e-7 070521 60 8.7 0.55? Swift 1.1e-5	060814	146	23		Swift	2.5e-6
060906 43.6 29 3.685 Swift 061002 20 45 Swift 4.0e-6 061126 191 28 Swift 4.3e-6 061210 0.8 23 0.41? Swift 5.6e-6 061222a 115 30. Swift 1.3e-6 070103 19 39 Swift 1.3e-6 070125 60 9.5 1.547 IPN 4.5e-4 070129 460 31 Swift 1.9e-6 070208 50 32 1.165 Swift 4.0e-4 070311 50 33 INT. 2.0e-6 070402 12 12 IPN 4.6e-7 070521 60 8.7 0.55? Swift 1.1e-5	060904A	80	14		Swift	
061002 20 45 Swift 4.0e-6 061126 191 28 Swift 4.3e-6 061210 0.8 23 0.41? Swift 6.1e-6 061222a 115 30. Swift 5.6e-6 070103 19 39 Swift 1.3e-6 070125 60 9.5 1.547 IPN 4.5e-4 070129 460 31 Swift 1.9e-6 070208 50 32 1.165 Swift 4.0e-4 070311 50 33 INT. 2.0e-6 070402 12 12 IPN 4.6e-7 070521 60 8.7 0.55? Swift 1.1e-5	060906	43.6	29		Swift	
061126 191 28 Swift 4.3e-6 061210 0.8 23 0.41? Swift 6.1e-6 061222a 115 30. Swift 5.6e-6 070103 19 39 Swift 1.3e-6 070125 60 9.5 1.547 IPN 4.5e-4 070129 460 31 Swift 1.9e-6 070208 50 32 1.165 Swift 4.0e-4 070311 50 33 INT. 2.0e-6 070402 12 12 IPN 4.6e-7 070521 60 8.7 0.55? Swift 1.1e-5						
061210 0.8 23 0.41? Swift 6.1e-6 061222a 115 30. Swift 5.6e-6 070103 19 39 Swift 1.3e-6 070125 60 9.5 1.547 IPN 4.5e-4 070129 460 31 Swift 1.9e-6 070208 50 32 1.165 Swift 4.0e-4 070311 50 33 INT. 2.0e-6 070402 12 12 IPN 4.6e-7 070521 60 8.7 0.55? Swift 1.1e-5	061126	191	28		Swift	4.3e-6
070103 19 39 Swift 1.3e-6 070125 60 9.5 1.547 IPN 4.5e-4 070129 460 31 Swift 1.9e-6 070208 50 32 1.165 Swift 4.0e-4 070311 50 33 INT. 2.0e-6 070402 12 12 IPN 4.6e-7 070521 60 8.7 0.55? Swift 1.1e-5	061210	0.8	23		Swift	6.1e-6
070103 19 39 Swift 1.3e-6 070125 60 9.5 1.547 IPN 4.5e-4 070129 460 31 Swift 1.9e-6 070208 50 32 1.165 Swift 4.0e-4 070311 50 33 INT. 2.0e-6 070402 12 12 IPN 4.6e-7 070521 60 8.7 0.55? Swift 1.1e-5	061222a	115	30.		Swift	5.6e-6
070125 60 9.5 1.547 IPN 4.5e-4 070129 460 31 Swift 1.9e-6 070208 50 32 1.165 Swift 4.0e-4 070311 50 33 INT. 2.0e-6 070402 12 12 IPN 4.6e-7 070521 60 8.7 0.55? Swift 1.1e-5	070103	19	39		Swift	1.3e-6
070129 460 31 Swift 1.9e-6 070208 50 32 1.165 Swift 4.0e-4 070311 50 33 INT. 2.0e-6 070402 12 12 IPN 4.6e-7 070521 60 8.7 0.55? Swift 1.1e-5	070125			1.547		
070208 50 32 1.165 Swift 4.0e-4 070311 50 33 INT. 2.0e-6 070402 12 12 IPN 4.6e-7 070521 60 8.7 0.55? Swift 1.1e-5	070129	460			Swift	1.9e-6
070311 50 33 INT. 2.0e-6 070402 12 12 IPN 4.6e-7 070521 60 8.7 0.55? Swift 1.1e-5	070208	50	32		Swift	4.0e-4
070402 12 12 IPN 4.6e-7 070521 60 8.7 0.55? Swift 1.1e-5	070311	50	33		INT.	2.0e-6
070521 60 8.7 0.55? Swift 1.1e-5	070402	12	12		IPN	4.6e-7
070529 120 45 2.5 Swift	070521	60	8.7		Swift	1.1e-5
	070529	120	45	2.5	Swift	

GRB	UTC	T_{i}	$T_{\rm f}$	θ	UL
050607	33082.8	94	255	29	2.7e-6
050607	33082.8	255	640	29	3.2e-6
050712	50427.5	88	564	38	8.8e-6
050712	50427.5	302	435	38	4.1e-6
050712	50427.5	415	590	30.	2.9e-6
050712	50427.5	788	952	37	2.3e-6
050716	45363.6	155	211	31	1.2e-6
050716	45363.6	315	483	32	1.8e-6
050820	23693.1	200	382	21	
060109	60881.2	4305	6740	6.6	4.8e-6

Table 2: List of X-ray Flares. Column 1 gives the Swift GRB name during which they occurred. Column 2 gives the trigger time in UTC second of the day. Columns 3 and 4 give the start and end times of the flare relative to the trigger time given in Column 2. Column 5 gives the zenith angle for Milagro. Column 6 gives the Milagro 99% upper limit on the 0.2–20 TeV fluence in erg cm⁻². As in Table 1, three dots implies the redshift is so high that all emission is expected to be absorbed.

Table 1: Recent GRBs in the Milagro field of view. Column 1 is the GRB name. Column 2 gives the duration of the burst (in seconds), column 3 the zenith angle for Milagro (in degrees), column 4 the measured redshift, when it exists, column 5 the satellite(s) detecting the GRB, and column 6 gives the Milagro 99% confidence upper limit on the 0.2–20 TeV fluence in erg cm⁻². Numbers in bold take into account absorption by the EBL (using the Primack 05 model) for a redshift given in column 4. Those with three dots in column 6 imply the redshifts are so high that all the emission is expected to be absorbed.